

**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.

Brescia, 25.10.2017

Mssrs.  
 IMPEXRON GMBH  
 GONNINGERSTR. 99  
 D-72793 PFULLINGEN

Our ref.: quotation No. 1001218923/2017 dated 25.10.2017  
 Your ref.: MG200232262 dated 25.10.2017

Relative to your inquiry mentioned above, here below you will find our detailed quotation:

Pos	Item	Description	Fam	Qty	Price /piece	Discount	Total Net Amount
10	473537	CEE STRAIGHT CONNECTOR 63A 3P+N+E 440-460V 60HZ 11H IP67	AA	16	79,17		1.266,72
20	476537	CEE PANEL MOUNTED INLET, STRAIGHT, 63A 3P+N+E 440-460V 60HZ 11H IP67	AA	10	50,24		502,40
30	473317	CEE STRAIGHT CONNECTOR 63A 3P+E 200-250V 50-60HZ 9H IP67	AA	4	55,12		220,48
40	477303	CEE STRAIGHT PLUG 16A 2P+E 200-250V 50-60HZ 6H IP67	AA	12	6,21		74,52
50	471602	CEE EXTRA-LOW VOLTAGE WALL MOUNTED INLET, 90° ANGLED, 16A 2P 20-25/40-50V DC 10H IP44	AA	10	12,42		124,20
60	630011	DOMOTER WALL MOUNTING WATERTIGHT ENCLOSURE FOR MODULAR DEVICES IP55 1 MODULE	EB	30	2,74		82,20
70	630050	DOMOTER ITALIAN STANDARD SCHUKO 10/16A 250V 2P+E P11-P17	EB	30	2,47		74,10

**Offer Amount: 2.344,62**

Prices are quoted in EUR





**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
Telefono +39 030 2015.1 fax +39 030 2015.258  
<http://www.palazzoli.it> E-mail: [export@palazzoli.it](mailto:export@palazzoli.it)  
Subject to direction and co-ordination  
by Europartners S.r.l.

**PAYMENT:** BANK TRANSFER IN ADVANCE  
**PACKAGING:** In standard carton boxes on a wooden pallet included in the prices quoted.  
Packagings in wooden cases must be agreed upon and the relative cost will be added to the quotation  
**DELIVERY TERMS:** Ex Works BRESCIA  
**DELIVERY TIME:** 28 working days from purchase order  
**OFFER VALIDITY:** Valid until 25.12.2017  
**MINIMUM ORDER AMOUNT:** Euro 500,00  
**GENERAL SALES AND SUPPLY TERMS:**

The general sale and supply terms published on our web site  
[www.palazzoli.com](http://www.palazzoli.com) > **company** > **general sale and supply terms** apply.

We remain at your disposal for any further information or clarification you may need and look forward to receiving your reply.

Best regards.

Urciuoli Fabrizio  
Export Sales  
**PALAZZOLI S.p.A.**  
Email: [fabrizio.urciuoli@palazzoli.it](mailto:fabrizio.urciuoli@palazzoli.it)

**Privacy Policy:** [www.palazzoli.it/InformativaPrivacy.htm](http://www.palazzoli.it/InformativaPrivacy.htm)



**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.

**P473537**

**CEE STRAIGHT CONNECTOR 63A 3P+N+E 440-460V 60HZ  
 11H IP67**



Approximate image

<b>Date Declaration of Conformity</b>	20.160.421	<b>CE</b>	CE
<b>Certificate code</b>	CERT_IMQ_CB_IT-4055 CERT_IMQ_E3888 CERT_RETIE_05391 CERT_UKR_UA.MI.066.0197-13	<b>Frequency</b>	60Hz
<b>Protection level</b>	IP67	<b>Poles</b>	3P+N+ÿ
<b>Clock Position (h)</b>	1 1	<b>Standard plug-socket</b>	EN60309-2
<b>Nominal Operating Voltage</b>	440-460V	<b>Insulating Voltage (V)</b>	500V
<b>Manufacturing Material</b>	Thermoplasti c	<b>Standard family</b>	FN_PS_CEE
<b>Nominal current</b>	63A	<b>Execution</b>	MOBILE
<b>Reference Standards</b>	EN 60309-1/A1: 2007 EN 60309-1/A1 EC: 2014 EN 60309-1/A2: 2012 EN 60309-1: 1999 EN 60309-2/A1: 2007 EN 60309-2/A2: 2012 EN 60309-2: 1999	<b>Shape</b>	Straight
<b>Directive</b>	2014/35/EU	<b>Marks</b>	CE IMQ IMQ CB RETIE ú

**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.



Approximate image

**P476537**

CEE PANEL MOUNTED INLET, STRAIGHT, 63A 3P+N+E  
 440-460V 60HZ 11H IP67

<b>Date Declaration of Conformity</b>	20.160.421	<b>CE</b>	CE
<b>Certificate code</b>	CERT_INQ_CB_IT-4052 CERT_INQ_E5690 CERT_RETIE_05391 CERT_UKR_UA.MI.066.0197-13	<b>Flange dimensions (mm)</b>	100X108 mm
<b>Frequency</b>	60Hz	<b>Protection level</b>	IP67
<b>Poles</b>	3P+N+ÿ	<b>Clock Position (h)</b>	11
<b>Standard plug-socket</b>	EN60309-2	<b>Nominal Operating Voltage</b>	440-460V
<b>Insulating Voltage (V)</b>	500V	<b>Manufacturing Material</b>	Thermoplasti c
<b>Standard family</b>	FN_PS_CEE	<b>Nominal current</b>	63A
<b>Execution</b>	PANEL MOUNTING	<b>Reference Standards</b>	EN 60309-1/A1: 2007 EN 60309-1/A1 EC: 2014 EN 60309-1/A2: 2012 EN 60309-1: 1999 EN 60309-2/A1: 2007 EN 60309-2/A2: 2012 EN 60309-2: 1999
<b>Shape</b>	Straight	<b>Directive</b>	2014/35/EU
<b>Marks</b>	CE INQ INQ CB RETIE ú		

**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.

**P473317**

CEE STRAIGHT CONNECTOR 63A 3P+E 200-250V 50-60HZ  
 9H IP67



Approximate image

<b>Date Declaration of Conformity</b>	20.160.421	<b>CE</b>	CE
<b>Certificate code</b>	CERT_IMQ_CB_IT-4055 CERT_IMQ_E3887 CERT_RETIE_05391 CERT_UKR_UA.MI.066.0197-13	<b>Frequency</b>	50-60Hz
<b>Protection level</b>	IP67	<b>Poles</b>	3P+ÿ
<b>Clock Position (h)</b>	9	<b>Standard plug-socket</b>	EN60309-2
<b>Nominal Operating Voltage</b>	230V	<b>Insulating Voltage (V)</b>	500V
<b>Manufacturing Material</b>	Thermoplasti c	<b>Standard family</b>	FN_PS_CEE
<b>Nominal current</b>	63A	<b>Execution</b>	MOBILE
<b>Reference Standards</b>	EN 60309-1/A1: 2007 EN 60309-1/A1 EC: 2014 EN 60309-1/A2: 2012 EN 60309-1: 1999 EN 60309-2/A1: 2007 EN 60309-2/A2: 2012 EN 60309-2: 1999	<b>Shape</b>	Straight ht
<b>Directive</b>	2014/35/EU	<b>Marks</b>	CE IMQ IMQ CB RETIE ú

**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.

**P477303**

CEE STRAIGHT PLUG 16A 2P+E 200-250V 50-60HZ 6H  
 IP67



Approximate image

<b>Date Declaration of Conformity</b>	20.160.421	<b>CE</b>	CE
<b>Certificate code</b>	CERT_IMQ_CB_IT-4061 CERT_IMQ_E3940 CERT_RETIE_05391 CERT_UKR_UA.MI.066.0197-13	<b>Frequency</b>	50-60Hz
<b>Protection level</b>	IP67	<b>Poles</b>	2P+ÿ
<b>Clock Position (h)</b>	6	<b>Standard plug-socket</b>	EN60309-2
<b>Nominal Operating Voltage</b>	230V	<b>Insulating Voltage (V)</b>	500V
<b>Manufacturing Material</b>	Thermoplasti c	<b>Standard family</b>	FN_PS_CEE
<b>Nominal current</b>	16A	<b>Execution</b>	MOBILE
<b>Reference Standards</b>	EN 60309-1/A1: 2007 EN 60309-1/A1 EC: 2014 EN 60309-1/A2: 2012 EN 60309-1: 1999 EN 60309-2/A1: 2007 EN 60309-2/A2: 2012 EN 60309-2: 1999	<b>Shape</b>	Straight
<b>Directive</b>	2014/35/EU	<b>Marks</b>	CE IMQ IMQ CB RETIE ú

**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.



Approximate image

**P471602**

CEE EXTRA-LOW VOLTAGE WALL MOUNTED INLET, 90°  
 ANGLED, 16A 2P 20-25/40-50V DC 10H IP44

**Date Declaration of Conformity** 20.160.421

**Flange dimensions (mm)** -

**Frequency** CC

**Poles** 2P

**Standard plug-socket** EN60309-2

**Insulating Voltage (V)** 500V

**Standard family** FN\_PS\_BSST

**Execution** WALL MOUNTING

**Shape** 90°

**Directive** 2001/95/EC

**Certificate code** CERT\_IMD\_E5810  
 CERT\_UKR\_UA.PI.066.0197-13

**Hole type** Pg 21

**Protection level** IP44

**Clock Position (h)** 10

**Nominal Operating Voltage** 20-25/40-50V

**Manufacturing Material** Thermoplastic

**Nominal current** 16A

**Reference Standards** EN 60309-1/A1: 2007  
 EN 60309-1/A1 EC: 2014  
 EN 60309-1/A2: 2012  
 EN 60309-1: 1999  
 EN 60309-2/A1: 2007  
 EN 60309-2/A2: 2012  
 EN 60309-2: 1999

**Modules Number** -

**Marks** IMD  
 ú

**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
<http://www.palazzoli.it> E-mail: [export@palazzoli.it](mailto:export@palazzoli.it)  
 Subject to direction and co-ordination  
 by Europartners S.r.l.



Approximate image

**P630011**

**DOMOTER WALL MOUNTING WATERTIGHT ENCLOSURE  
 FOR MODULAR DEVICES IP55 1 MODULE**

**Date Declaration of Conformity** 20.170.605  
**Dimensions** 76X82X58 mm  
**Protection level** IP55  
**Execution** WALL MOUNTING

**Cover Type** Blind  
**Directive** 2014/35/EU  
**Insulation Class** F

**CE** CE  
**Device modules** 1  
**Manufacturing Material** Thermoplastic  
**Reference Standards** EN 60670-1/A1: 2013  
 EN 60670-1/IS1: 2009  
 EN 60670-1: 2005

**Outfit** WITHOUT PLATE  
**Marks** CE



**PALAZZOLI S.p.A.**

25128 BRESCIA - Italia - Via F. Palazzoli, 31  
 Telefono +39 030 2015.1 fax +39 030 2015.258  
 http://www.palazzoli.it E-mail: export@palazzoli.it  
 Subject to direction and co-ordination  
 by Europartners S.r.l.



Approximate image

**P630050**

DOMOTER ITALIAN STANDARD SCHUKO 10/16A 250V  
 2P+E P11-P17

<b>CE</b>	CE	<b>Flange dimensions (mm)</b>	-
<b>Frequency</b>	50-60Hz	<b>Protection level</b>	IP20
<b>Poles</b>	2P+ $\dot{y}$	<b>Standard plug-socket</b>	P11/P17
<b>Nominal Operating Voltage</b>	250V~	<b>Manufacturing Material</b>	Thermoplastic
<b>Nominal current</b>	10/16A	<b>Execution</b>	PANEL MOUNTING
<b>Reference Standards</b>	EN 60439-3: 1991 + A1: 1994 2001 EN 60669-1	<b>Shape</b>	Straight
<b>Modules Number</b>	1	<b>Marks</b>	CE